

Awning

## SIZE TABLES

### Aluminum-Clad Exteriors

#### Standard Awning



#### Vent Units

	(451) (432)	(552) (533)	(603) (584)	(654) (635)	(756) (737)	(832) (813)	(908) (889)	(1 060) (1 041)	(1 213) (1 194)	(1 365) (1 346)
Opening	1' 5 3/4"	1' 9 3/4"	1' 11 3/4"	2' 1 3/4"	2' 5 3/4"	2' 8 3/4"	2' 11 3/4"	3' 5 3/4"	3' 11 3/4"	4' 5 3/4"
Frame	1' 5"	1' 9"	1' 11"	2' 1"	2' 5"	2' 8"	2' 11"	3' 5"	3' 11"	4' 5"
(451) (432)	1717	2117	2317	2517	2917	3217	3517	4117	4717	5317
(552) (533)		2121	2321	2521	2921	3221	3521	4121	4721	5321
(603) (584)			2323	2523	2923	3223	3523	4123	4723	5323
(654) (635)				2525	2925	3225	3525	4125	4725	5325
(756) (737)					2929	3229	3529	4129	4729	5329

### Standard Awning

#### Special Size Frame Dimensions\*

	MINIMUM	MAXIMUM
<b>VENT</b>	1'5" W x 1'5" H (432 x 432)	4'5" W x 2'5" H (1 346 x 737)
<b>FIXED</b>	1'5" W x 1'5" H (432 x 432)	4'11" W x 6'1" H (1 499 x 1 854)

\* Available within size range shown.

Max Vent Frame area is 19.5 sq. ft.

Max Fixed Frame area is 54.5 sq. ft.

Keep frame dimensions to the nearest 1/8" increment.


Frame height cannot exceed frame width on special size vent units.

Not to scale.

Ⓢ Fixed Units only

Traditional grille patterns shown. Refer to Clad/Wood Overview Section for additional patterns and profiles.

Contact your local Pella representative for the availability of custom sizes smaller or larger than the parameters shown.



Awning


**SIZE TABLES**  
Aluminum-Clad Exteriors  
Fixed Unit



Fixed Units

	(832) (813)	(908) (889)	(1 060) (1 041)	(1 213) (1 194)	(1 365) (1 346)	(1 518) (1 499)
Opening	2' 8 3/4"	2' 11 3/4"	3' 5 3/4"	3' 11 3/4"	4' 5 3/4"	4' 11 3/4"
Frame	2' 8"	2' 11"	3' 5"	3' 11"	4' 5"	4' 11"
(451) (432)	3217	3517	4117	4717	5317	5917
(552) (533)	3221	3521	4121	4721	5321	5921
(603) (584)	3223	3523	4123	4723	5323	5923
(654) (635)	3225	3525	4125	4725	5325	5925
(756) (737)	3229	3529	4129	4729	5329	5929
(908) (889)	3235	3535	4135	4735	5335	5935
(1 060) (1 041)	3241	3541	4141	4741	5341	5941
(1 213) (1 194)	3247	3547	4147	4747	5347	5947
(1 365) (1 346)	3253	3553	4153	4753	5353	5953
(1 518) (1 499)	3259	3559	4159	4759	5359	5959
(1 670) (1 651)	3265	3565	4165	4765	5365	5965
(1 822) (1 803)	3271	3571	4171	4771	5371	5971
(1 873) (1 854)	3273	3573	4173	4773	5373	5973

Not to scale.  
Traditional grille patterns shown. Refer to Clad/Wood Overview Section for additional patterns and profiles.  
Contact your local Pella representative for the availability of custom sizes smaller or larger than the parameters shown.



Awning

**SIZE TABLES**  
Aluminum-Clad Exteriors  
Large Awning



	(603) (584)	(654) (635)	(756) (737)	(832) (813)	(908) (889)	(1 060) (1 041)	(1 213) (1 194)	(1 365) (1 346)	(1 518) (1 499)
Opening	1' 11 3/4"	2' 1 3/4"	2' 5 3/4"	2' 8 3/4"	2' 11 3/4"	3' 5 3/4"	3' 11 3/4"	4' 5 3/4"	4' 11 3/4"
Frame	1' 11"	2' 1"	2' 5"	2' 8"	2' 11"	3' 5"	3' 11"	4' 5"	4' 11"
(552) (533)									
(603) (584)									
(654) (635)									
(756) (737)									
(908) (889)									
(1 060) (1 041)									
(1 213) (1 194)									
(1 365) (1 346)									
(1 518) (1 499)									
(1 670) (1 651)									
(1 822) (1 803)									
(1 873) (1 854)									

**Large Awning Special Size Frame Dimensions\***

	MINIMUM	MAXIMUM
<b>VENT</b>	1'11" W x 1'9" H (584 x 533)	4'11" W x 6'1" H (1 499 x 1 854)

\* Available within size range shown.  
Max Vent Frame area is 48 sq. ft.  
Sash weight must be less than 100 lbs.  
Keep frame dimensions to the nearest 1/8" increment.  
Frame height cannot exceed frame width on special size vent units.

Not to scale.  
Traditional grille patterns shown. Refer to Clad/Wood Overview Section for additional patterns and profiles.  
Contact your local Pella representative for the availability of custom sizes smaller or larger than the parameters shown.