



SLIDING PATIO DOOR

## 6' 7-1/2" SIZE TABLES


### Aluminum-Clad Exterior




Door sizes above are available in HurricaneShield® Impact-Resistant Glazing.

#### 6' 8" One-Panel Fixed and Sidelight


Opening	2' 7 1/2" (800)	3' 1 1/2" (953)	3' 7 1/2" (1 105)	4' 1 1/2" (1 257)	5' 1 1/2" (1 562)
Frame	2' 6 3/4" (781)	3' 0 3/4" (933)	3' 6 3/4" (1 086)	4' 0 3/4" (1 238)	5' 0 3/4" (1 543)




FIXED  
(O) 3180




FIXED  
(O) 3780



FIXED  
(O) 4380




FIXED  
(O) 4980




FIXED (O)  
6180

#### 6' 8" Two-Panel Fixed-Active


Opening	5' 0" (1 524)	6' 0" (1 829)	7' 0" (2 134)	8' 0" (2 438)	10' 0" (3 048)
Frame	4' 11 1/4" (1 505)	5' 11 1/4" (1 810)	6' 11 1/4" (2 115)	7' 11 1/4" (2 419)	9' 11 1/4" (3 029)




FIXED-VENT  
(OX) 6080




FIXED-VENT  
(OX) 7280



FIXED-VENT  
(OX) 8480




FIXED-VENT  
(OX) 9680




FIXED-VENT  
(OX) 12080

#### 6' 8" Three-Panel Fixed-Active-Fixed


Opening	7' 6 3/4" (2 305)	9' 0 3/4" (2 762)	10' 6 3/4" (3 219)	12' 0 3/4" (3 677)	15' 0 3/4" (4 591)
Frame	7' 6" (2 286)	9' 0" (2 743)	10' 6" (3 200)	12' 0" (3 658)	15' 0" (4 572)




3 PANEL (OXO)  
9080




3 PANEL (OXO)  
10880



3 PANEL (OXO)  
12680




3 PANEL (OXO)  
14480




3 PANEL (OXO)  
18080

#### 6' 8" Four-Panel Fixed-Vent-Vent Fixed


Opening	9' 8 7/8" (2 969)	11' 8 7/8" (3 578)	15' 8 7/8" (4 797)	19' 8 7/8" (6 017)
Frame	9' 8 1/8" (2 950)	11' 8 1/8" (3 559)	15' 8 1/8" (4 778)	19' 8 1/8" (5 998)




4 PANEL  
(OXXO) 11780



4 PANEL  
(OXXO) 14180



4 PANEL (OXXO)  
18980



4 PANEL (OXXO)  
23780

Not to scale.  
 Traditional grille patterns shown. Refer to Clad/Wood Overview section for additional patterns and profiles.  
 All doors are glazed with tempered glass.  
 Two panel doors—Fixed-Vent (OX), right panel opens, left panel is fixed. Units open in the direction of the arrow as viewed from the exterior.

Vent-Fixed (XO) doors are also available.  
 Fixed-Vent-Fixed (OXO) combination doors also available as OOX and XO combinations.

For windows and patio doors with HurricaneShield® impact-resistant glass, see product instructions or refer to local building code requirements.



SLIDING PATIO DOOR

## 6' 10" SIZE TABLES

### Aluminum-Clad Exterior



Door sizes above are available in HurricaneShield® Impact-Resistant Glazing.

#### 6' 10" One-Panel Fixed and Sidelight

Opening	2' 7 1/2" (800)	3' 1 1/2" (953)	3' 7 1/2" (1 105)	4' 1 1/2" (1 257)	5' 1 1/2" (1 562)
Frame	2' 6 3/4" (781)	3' 0 3/4" (933)	3' 6 3/4" (1 086)	4' 0 3/4" (1 238)	5' 0 3/4" (1 543)

FIXED (O)  
3182

FIXED (O)  
3782

FIXED (O)  
4382

FIXED (O)  
4982

FIXED (O)  
6182

#### 6' 10" Two-Panel Fixed-Active

Opening	5' 0" (1 524)	6' 0" (1 829)	7' 0" (2 134)	8' 0" (2 438)	10' 0" (3 048)
Frame	4' 11 1/4" (1 505)	5' 11 1/4" (1 810)	6' 11 1/4" (2 115)	7' 11 1/4" (2 419)	9' 11 1/4" (3 029)

FIXED-VENT  
(OX) 6082

FIXED-VENT  
(OX) 7282

FIXED-VENT  
(OX) 8482

FIXED-VENT  
(OX) 9682

FIXED-VENT  
(OX) 12082

#### 6' 10" Three-Panel Fixed-Active-Fixed

Opening	7' 6 3/4" (2 305)	9' 0 3/4" (2 762)	10' 6 3/4" (3 219)	12' 0 3/4" (3 677)	15' 0 3/4" (4 591)
Frame	7' 6" (2 286)	9' 0" (2 743)	10' 6" (3 200)	12' 0" (3 658)	15' 0" (4 572)

3 PANEL (OXO)  
9082

3 PANEL (OXO)  
10882

3 PANEL (OXO)  
12682

3 PANEL (OXO)  
14482

3 PANEL (OXO)  
18082

#### 6' 10" Four-Panel Fixed-Vent-Vent Fixed

Opening	9' 8 7/8" (2 969)	11' 8 7/8" (3 578)	15' 8 7/8" (4 797)	19' 8 7/8" (6 017)
Frame	9' 8 1/8" (2 950)	11' 8 1/8" (3 559)	15' 8 1/8" (4 778)	19' 8 1/8" (5 998)

4 PANEL (OXXO)  
11782

4 PANEL (OXXO)  
14182

4 PANEL (OXXO)  
18982

4 PANEL (OXXO)  
23782

Not to scale.  
 Traditional grille patterns shown. Refer to Clad/Wood Overview section for additional patterns and profiles.  
 All doors are glazed with tempered glass.  
 Two panel doors—Fixed-Vent (OX), right panel opens, left panel is fixed. Units open in the direction of the arrow as viewed from the exterior.

Vent-Fixed (XO) doors are also available.  
 Fixed-Vent-Fixed (OXO) combination doors also available as OOX and XO combinations.

For windows and patio doors with HurricaneShield® impact-resistant glass, see product instructions or refer to local building code requirements.



SLIDING PATIO DOOR

8' 0" SIZE TABLES  
Aluminum-Clad Exterior



Door sizes above are available in HurricaneShield® Impact-Resistant Glazing.

8' 0" One-Panel Fixed and Sidelight

Opening	2' 7 1/2" (800)	3' 1 1/2" (953)	3' 7 1/2" (1 105)	4' 1 1/2" (1 257)	5' 1 1/2" (1 562)
Frame	2' 6 3/4" (781)	3' 0 3/4" (933)	3' 6 3/4" (1 086)	4' 0 3/4" (1 238)	5' 0 3/4" (1 543)

FIXED (O)  
3196

FIXED (O)  
3796

FIXED (O)  
4396

FIXED (O)  
4996

FIXED (O)  
6196

8' 0" Two-Panel Fixed-Active

Opening	5' 0" (1 524)	6' 0" (1 829)	7' 0" (2 134)	8' 0" (2 438)	10' 0" (3 048)
Frame	4' 11 1/4" (1 505)	5' 11 1/4" (1 810)	6' 11 1/4" (2 115)	7' 11 1/4" (2 419)	9' 11 1/4" (3 029)

FIXED-VENT (OX) 6096

FIXED-VENT (OX) 7296

FIXED-VENT (OX) 8496

FIXED-VENT (OX) 9696

FIXED-VENT (OX) 12096

8' 0" Three-Panel Fixed-Active-Fixed

Opening	7' 6 3/4" (2 305)	9' 0 3/4" (2 762)	10' 6 3/4" (3 219)	12' 0 3/4" (3 677)	15' 0 3/4" (4 591)
Frame	7' 6" (2 286)	9' 0" (2 743)	10' 6" (3 200)	12' 0" (3 658)	15' 0" (4 572)

3 PANEL (OXO)  
9096

3 PANEL (OXO)  
10896

3 PANEL (OXO)  
12696

3 PANEL (OXO)  
14496

3 PANEL (OXO)  
18096

8' 0" Four-Panel Fixed-Vent-Vent Fixed

Opening	9' 8 7/8" (2 969)	11' 8 7/8" (3 578)	15' 8 7/8" (4 797)	19' 8 7/8" (6 017)
Frame	9' 8 1/8" (2 950)	11' 8 1/8" (3 559)	15' 8 1/8" (4 778)	19' 8 1/8" (5 998)

4 PANEL (OXXO)  
11796

4 PANEL (OXXO)  
14196

4 PANEL (OXXO)  
18996

4 PANEL (OXXO)  
23796

Not to scale.  
Traditional grille patterns shown. Refer to Clad/Wood Overview section for additional patterns and profiles.  
All doors are glazed with tempered glass.  
Two panel doors—Fixed-Vent (OX), right panel opens, left panel is fixed. Units open in the direction of the arrow as viewed from the exterior.

Vent-Fixed (XO) doors are also available.  
Fixed-Vent-Fixed (OXO) combination doors also available as OOX and XO combinations.

For windows and patio doors with HurricaneShield® impact-resistant glass, see product instructions or refer to local building code requirements.



SLIDING PATIO DOOR


**9' 0" SIZE TABLES**  
Aluminum-Clad Exterior



Door sizes above are available in HurricaneShield® Impact-Resistant Glazing.

**9' 0" One-Panel Fixed and Sidelight**


Opening	2' 7 1/2" (800)	3' 1 1/2" (953)	3' 7 1/2" (1 105)	4' 1 1/2" (1 257)	5' 1 1/2" (1 562)
Frame	2' 6 3/4" (781)	3' 0 3/4" (933)	3' 6 3/4" (1 086)	4' 0 3/4" (1 238)	5' 0 3/4" (1 543)



FIXED (O) 31108      FIXED (O) 37108      FIXED (O) 43108      FIXED (O) 49108      FIXED (O) 61108

**9' 0" Two-Panel Fixed-Active**


Opening	5' 0" (1 524)	6' 0" (1 829)	7' 0" (2 134)	8' 0" (2 438)	10' 0" (3 048)
Frame	4' 11 1/4" (1 505)	5' 11 1/4" (1 810)	6' 11 1/4" (2 115)	7' 11 1/4" (2 419)	9' 11 1/4" (3 029)



FIXED-VENT (OX) 60108      FIXED-VENT (OX) 72108      FIXED-VENT (OX) 84108      FIXED-VENT (OX) 96108      FIXED-VENT (OX) 120108

**9' 0" Three-Panel Fixed-Active-Fixed**


Opening	7' 6 3/4" (2 305)	9' 0 3/4" (2 762)	10' 6 3/4" (3 219)	12' 0 3/4" (3 677)	15' 0 3/4" (4 591)
Frame	7' 6" (2 286)	9' 0" (2 743)	10' 6" (3 200)	12' 0" (3 658)	15' 0" (4 572)



3 PANEL (OXO) 90108      3 PANEL (OXO) 108108      3 PANEL (OXO) 126108      3 PANEL (OXO) 144108      3 PANEL (OXO) 180108

**9' 0" Four-Panel Fixed-Vent-Vent Fixed**

Opening	9' 8 7/8" (2 969)	11' 8 7/8" (3 578)	15' 8 7/8" (4 797)	19' 8 7/8" (6 017)
Frame	9' 8 1/8" (2 950)	11' 8 1/8" (3 559)	15' 8 1/8" (4 778)	19' 8 1/8" (5 998)



4 PANEL (OXXO) 117108      4 PANEL (OXXO) 141108      4 PANEL (OXXO) 189108      4 PANEL (OXXO) 237108

Not to scale.  
Traditional grille patterns shown. Refer to Clad/Wood Overview section for additional patterns and profiles.  
All doors are glazed with tempered glass.  
Two panel doors—Fixed-Vent (OX), right panel opens, left panel is fixed. Units open in the direction of the arrow as viewed from the exterior.

Vent-Fixed (XO) doors are also available.  
Fixed-Vent-Fixed (OXO) combination doors also available as OOX and XOO combinations.

For windows and patio doors with HurricaneShield® impact-resistant glass, see product instructions or refer to local building code requirements.



SLIDING PATIO DOOR


**10' 0" SIZE TABLES**  
Aluminum-Clad Exterior




Door sizes above are available in HurricaneShield® Impact-Resistant Glazing.

**10' 0" One-Panel Fixed and Sidelight**


Opening	2' 7 1/2" (800)	3' 1 1/2" (953)	3' 7 1/2" (1 105)	4' 1 1/2" (1 257)	5' 1 1/2" (1 562)
Frame	2' 6 3/4" (781)	3' 0 3/4" (933)	3' 6 3/4" (1 086)	4' 0 3/4" (1 238)	5' 0 3/4" (1 543)




FIXED (O)  
31120




FIXED (O)  
37120



FIXED (O)  
43120




FIXED (O)  
49120




FIXED (O)  
61120

**10' 0" Two-Panel Fixed-Active**


Opening	5' 0" (1 524)	6' 0" (1 829)	7' 0" (2 134)	8' 0" (2 438)	10' 0" (3 048)
Frame	4' 11 1/4" (1 505)	5' 11 1/4" (1 810)	6' 11 1/4" (2 115)	7' 11 1/4" (2 419)	9' 11 1/4" (3 029)




FIXED-VENT (OX) 60120




FIXED-VENT (OX) 72120



FIXED-VENT (OX) 84120




FIXED-VENT (OX) 96120




FIXED-VENT (OX) 120120

**10' 0" Three-Panel Fixed-Active-Fixed**


Opening	7' 6 3/4" (2 305)	9' 0 3/4" (2 762)	10' 6 3/4" (3 219)	12' 0 3/4" (3 677)	15' 0 3/4" (4 591)
Frame	7' 6" (2 286)	9' 0" (2 743)	10' 6" (3 200)	12' 0" (3 658)	15' 0" (4 572)




3 PANEL (OXO)  
90120




3 PANEL (OXO)  
108120



3 PANEL (OXO)  
126120




3 PANEL (OXO)  
144120




3 PANEL (OXO)  
180120

**10' 0" Four-Panel Fixed-Vent-Vent Fixed**


Opening	9' 8 7/8" (2 969)	11' 8 7/8" (3 578)	15' 8 7/8" (4 797)	19' 8 7/8" (6 017)
Frame	9' 8 1/8" (2 950)	11' 8 1/8" (3 559)	15' 8 1/8" (4 778)	19' 8 1/8" (5 998)




4 PANEL (OXXO)  
117120



4 PANEL (OXXO)  
141120



4 PANEL (OXXO)  
189120



4 PANEL (OXXO)  
237120

Not to scale.  
Traditional grille patterns shown. Refer to Clad/Wood Overview section for additional patterns and profiles.  
All doors are glazed with tempered glass.  
Two panel doors—Fixed-Vent (OX), right panel opens, left panel is fixed. Units open in the direction of the arrow as viewed from the exterior.

Vent-Fixed (XO) doors are also available.  
Fixed-Vent-Fixed (OXO) combination doors also available as OOX and XO combinations.

For windows and patio doors with HurricaneShield® impact-resistant glass, see product instructions or refer to local building code requirements.



SLIDING PATIO DOOR

## TRANSOM SIZE TABLES

### Aluminum-Clad Exterior



Transoms		(800) (781)	(953) (933)	(1 257) (1 238)	(1 524) (1 505)	(1 829) (1 810)	(2 438) (2 419)
Opening		2' 7 1/2"	3' 1 1/2"	4' 1 1/2"	5' 0"	6' 0"	8' 0"
Frame		2' 6 3/4"	3' 0 3/4"	4' 0 3/4"	4' 11 1/4"	5' 11 1/4"	7' 11 1/4"
(654) (635)	2' 1 3/4"						
	1' 5 3/4"						
	2' 1"						
Wide Stile		(800) (781)	(953) (933)	(1 257) (1 238)	(1 524) (1 505)	(1 829) (1 810)	(2 438) (2 419)
Opening		2' 7 1/2"	3' 1 1/2"	4' 1 1/2"	5' 0"	6' 0"	8' 0"
Frame		2' 6 3/4"	3' 0 3/4"	4' 0 3/4"	4' 11 1/4"	5' 11 1/4"	7' 11 1/4"
(654) (635)	2' 1 3/4"						
	1' 5 3/4"						
	2' 1"						

Not to scale.

Traditional grille patterns shown. Refer to Clad/Wood Overview section for additional patterns and profiles.