
BREAK METAL
Covers and Trim

The Pella accessory system includes all of the most-often-specified standard items shown in this Architectural Design Manual as well as other specials shown here.

In addition, completely custom / special installation, panning, and trim systems can be designed and fabricated by Pella for specific project requirements. Shapes shown on the next two pages can be ordered to various dimensions needed. Consult your local Pella sales representative.

MULLION COVERS




#49A1M100 #49A1M103 #49A1M104

MULLION TRIM




#49A1M101 #49A1M102

SILL TRIM



#49A1M114 #49A1M115


HEAD JAMB TRIM





#49A1M105 #49A1M106 #49A1M109 #49A1M110 #49A1M111 #49A1M112


Scale 3" = 1' 0"


SILL FLASHING



#49A1M107



#49A1M108


#49A1M116


#49A1M117


#49A1M118


#49A1M119



#49A1M120


#49A1M121


#49A1M122



#49A1M123



#49A1M124



#49A1M125


#49A1M126



#49A1M127


#49A1M128


#49A1M130


#49A1M131


#49A1M132


#49A1M133


#49A1M134

ATTACHMENT CLIP


#49A1M129

Scale 3" = 1' 0"

DETAIL #	QTY.	LENGTH	A	B	C

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING


NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- TO DETERMINE THE DIMENSIONS FOR A STANDARD MULLION COVER, USE THE FOLLOWING:
A = FRAME TO FRAME + 1/4" B & C = 5/16"

- LENGTH = 12" TO 144"
LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

EITHER B OR C MUST BE LESS THAN A

FULL TIME EXPOSED - FULL PAINT COVERAGE



M100

DETAIL #	QTY.	LENGTH	A	B	C

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING


NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

EITHER B OR C MUST BE LESS THAN A

FULL TIME EXPOSED - FULL PAINT COVERAGE



M101

DETAIL #	QTY.	LENGTH	B	C	D

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING


NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- FOR STANDARD 60° MULLION COVER D= 60° B = 3" C = 3"

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FULL TIME EXPOSED - FULL PAINT COVERAGE



M103


DETAIL #	QTY.	LENGTH	B	C

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"
LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FULL TIME EXPOSED - FULL PAINT COVERAGE



M104

DETAIL #	QTY.	LENGTH	B	C


FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FULL TIME EXPOSED - FULL PAINT COVERAGE



M105

DETAIL #	QTY.	LENGTH	B	C

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING


NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FOR STANDARD EXPANDER B = 5/16"

FULL TIME EXPOSED - FULL PAINT COVERAGE



M106


DETAIL #	QTY.	LENGTH	B	C

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 48" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"



M107

DETAIL #	QTY.	LENGTH	B	C	D


FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FULL TIME EXPOSED - FULL PAINT COVERAGE



M108


DETAIL #	QTY.	LENGTH	B	C	D

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"



M109


DETAIL #	QTY.	LENGTH	B	C	D

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING



M110

DETAIL #	QTY.	LENGTH	B	C	D	E


FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

- FOR STANDARD 60° BAY JAMB COVER
B=1 1/4" C=1 1/4" D=1/2" E= 30°



M111


DETAIL #	QTY.	LENGTH	B	C	D

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING



M112


DETAIL #	QTY.	LENGTH	B	C	D

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"



M113


DETAIL #	QTY.	LENGTH	B	C	D

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"




M114

DETAIL #	QTY.	LENGTH	A	B	C

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"
LENGTH MUST BE ORDERED TO THE NEAREST 1/16"



M115


DETAIL #	QTY.	LENGTH	B	C	D

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING



M116

DETAIL #	QTY.	LENGTH	B	C	D	E


NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING

FULL TIME EXPOSED - FULL PAINT COVERAGE



M117

DETAIL #	QTY.	LENGTH	B	C	D


FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FULL TIME EXPOSED - FULL PAINT COVERAGE



M118


DETAIL #	QTY.	LENGTH	B	C	D	E

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"



M119


DETAIL #	QTY.	LENGTH	B	C	D	E	F	G

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING



M120


DETAIL #	QTY.	LENGTH	B	C	D	E	F

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING



M121

DETAIL #	QTY.	LENGTH	B	C	D


FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FULL TIME EXPOSED - FULL PAINT COVERAGE



M122


DETAIL #	QTY.	LENGTH	B	C	D	E	F	G

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING



M123

DETAIL #	QTY.	LENGTH	B	C	D


NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING

FULL TIME EXPOSED - FULL PAINT COVERAGE



M124

DETAIL #	QTY.	LENGTH	B	C	D


NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING

FULL TIME EXPOSED - FULL PAINT COVERAGE



M125

DETAIL #	QTY.	LENGTH	B	C	D	E1	E2


NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING

FULL TIME EXPOSED - FULL PAINT COVERAGE



M126


DETAIL #	QTY.	LENGTH	B	C	D	E	F

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING



M127

DETAIL #	QTY.	LENGTH	B	C


FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 48" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FULL TIME EXPOSED - FULL PAINT COVERAGE



M128

DETAIL #	QTY.	LENGTH	B


FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

ATTACHMENT CLIP IS DESIGNED AS THE CLIP FOR:
M123
M124
M125
M130
M133



M129

DETAIL #	QTY.	LENGTH	B	C


FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FULL TIME EXPOSED - FULL PAINT COVERAGE



M130

DETAIL #	QTY.	LENGTH	B	C	D


FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FULL TIME EXPOSED - FULL PAINT COVERAGE



M131

DETAIL #	QTY.	LENGTH	B	C


FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FULL TIME EXPOSED - FULL PAINT COVERAGE



M132


DETAIL #	QTY.	LENGTH	B	C	D	E	F	G

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING



M133


DETAIL #	QTY.	LENGTH	B	C	D	E	F	G

NOTE:
- UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE GIVEN IN INCHES AND ALL TOLERANCES ARE TO BE: DECIMALS ±.032", ANGLES ±1°, FRACTIONS ±1/32".

- LENGTH = 12" TO 144"

LENGTH MUST BE ORDERED TO THE NEAREST 1/16"

FIELD VERIFY ALL DIMENSIONS PRIOR TO ORDERING



M134