



Test Report Information
Products with Impact Resistant Glass

Note: These charts are to be used for documentation of independent testing compliance of published Performance Class & Grade shown in the Design and Performance data tables. Use test report information where the unit width and height in the table below are equal or greater in size to the unit being specified. Contact your local Pella sales representative for copies of full test reports.

(1) Maximum performance for single units when glazed with the appropriate glass.

Product Type	Brand	Style Collection	Frame	Configuration	Performance Type	Glazing	Width	Height	Positive Design Pressure	Negative Design Pressure	Performance Class & Grade ₁	Hallmark Certified	FPAS# (Florida Product Approval System)	Large Missile Rating	Wind Zone	TDI# (Texas Department of Insurance)	Test Report# (Independent Report)	Canadian Performance (Pella CSA Rating Claim)
Awning - Large	Pella Reserve	Traditional / Contemporary	Aluminum Clad Wood	Vent	Impact	1" IG SGP	59	35	+75	-85	LC-PG75	411-H-1339	10026	D	4	WIN-475	ESP034597P.2	—
Awning - Large	Pella Reserve	Traditional / Contemporary	Aluminum Clad Wood	Vent	Impact	PVB-IG	59	35	+75	-75	LC-PG75	411-H-1339	10026	D	4	WIN-475	ESP034597P.2	—
Casement	Pella Reserve	Traditional / Contemporary	Aluminum Clad Wood	Vent	Impact	1" IG SGP	35	73	+75	-85	CW-PG75	411-H-1339	10015	D	4	WIN-474	ESP034597P.3	—
Casement	Pella Reserve	Traditional / Contemporary	Aluminum Clad Wood	Vent	Impact	PVB-IG	35	73	+75	-75	CW-PG75	411-H-1339	10015	D	4	WIN-474	ESP034597P.3	—
Casement	Pella Reserve	Traditional / Contemporary	Aluminum Clad Wood	Fixed	Impact	PVB-IG	35	73	+75	-75	CW-PG75	411-H-1339	10022	D	4	WIN-477	ESP034597P.5	—
Casement	Pella Reserve	Traditional / Contemporary	Aluminum Clad Wood	Fixed	Impact	1" IG SGP	59	73	+75	-85	CW-PG75	411-H-1339	10022	D	4	WIN-477	ESP034597P.4	—
Monumental Single - Hung	Pella Reserve	Traditional	Aluminum Clad Wood	Vent w/ 2 Locks	Impact	PVB IG	54	96	+50	-50	CW-PG50	411-H-1478	17769	D	3	WIN-2316	ESP018981P	—
Patio Door - In-Swing	Pella Reserve	Traditional	Aluminum Clad Wood	Fixed	Impact	PVB-IG	37.875	119.5	+55	-70	LC-PG55	411-H-1164	14293	D	3	DR635	ESP033751P.2	—
Patio Door - In-Swing	Pella Reserve	Traditional	Aluminum Clad Wood	AP or PA	Impact	PVB-IG	75	95.5	+55	-70	LC-PG55	411-H-1164	14293	D	3	DR635	ESP033751P.3	—
Patio Door - In-Swing	Pella Reserve	Traditional	Aluminum Clad Wood	AP or PA	Impact	PVB-IG	75	119.5	+40	-40	LC-PG40	411-H-1164	14293	D	3	DR635	ESP033751P.3	—
Patio Door - Out-Swing	Pella Reserve	Traditional	Aluminum Clad Wood	Fixed	Impact	PVB-IG	37.875	119.5	+70	-85	—	—	18636	D	4	—	TCT003663P.25	—
Patio Door - Out-Swing	Pella Reserve	Traditional	Aluminum Clad Wood	Fixed	Impact	PVB-IG	37.875	119.5	+50	-50	LC-PG50	411-H-1188	14302	D	3	DR559	ESP033751P.1	—
Patio Door - Out-Swing	Pella Reserve	Traditional	Aluminum Clad Wood	Fixed	Impact	PVB-IG	37.875	95.5	+70	-70	LC-PG70	411-H-1188	14302	D	3	DR559	ESP033751P.1	—
Patio Door - Out-Swing	Pella Reserve	Traditional	Aluminum Clad Wood	AP or PA	Impact	PVB-IG	75	81.5	+70	-85	—	—	18636	D	4	—	TCT003663P.25	—
Patio Door - Out-Swing	Pella Reserve	Traditional	Aluminum Clad Wood	AP or PA	Impact	PVB-IG	75	95.5	+70	-70	—	—	18636	D	4	—	TCT003663P.25	—
Patio Door - Out-Swing	Pella Reserve	Traditional	Aluminum Clad Wood	AP or PA	Impact	PVB-IG	75	95.5	+70	-70	LC-PG70	411-H-1188	14302	D	3	DR559	ESP033751P.4	—
Patio Door - Out-Swing	Pella Reserve	Traditional	Aluminum Clad Wood	AP or PA	Impact	PVB-IG	75	119.5	+55	-55	—	—	18636	D	4	—	TCT003663P.25	—
Patio Door - Out-Swing	Pella Reserve	Traditional	Aluminum Clad Wood	AP or PA	Impact	PVB-IG	75	119.5	+50	-50	LC-PG50	411-H-1188	14302	D	3	DR559	ESP033751P.4	—
Sliding Door	Pella Reserve	Traditional	Aluminum Clad Wood	Fixed	Impact	PVB-IG	48.788	95.5	+70	-70	LC-PG70	411-H-1490	12459	D	4	—	ESP024305P	—
Sliding Door	Pella Reserve	Traditional	Aluminum Clad Wood	Fixed	Impact	PVB-IG	60.788	119.5	+40	-50	LC-PG40	411-H-1490	12459	D	4	—	ESP026730P	—
Sliding Door	Pella Reserve	Traditional	Aluminum Clad Wood	OX or XO	Impact	PVB-IG	71.25	95.5	+65	-65	LC-PG65	411-H-1490	12459	D	4	—	ESP024305P	—
Sliding Door	Pella Reserve	Traditional	Aluminum Clad Wood	OX or XO	Impact	PVB-IG	95.25	95.5	+60	-60	LC-PG60	411-H-1490	12459	D	4	—	ESP024305P	—
Sliding Door	Pella Reserve	Traditional	Aluminum Clad Wood	OX or XO	Impact	PVB-IG	119.25	119.5	+35	-45	LC-PG35	411-H-729	12459	D	4	—	ESP026730P	—

Reference Sites

[WDMA Hallmark Certification](#)

[Florida Product Approval Site](#)

[Texas Department of Insurance Site](#)

For copies of full test reports contact your local Pella Sales Representative.