



Test Report Information
Fixed Frame Direct Set Products

Note: These charts are to be used for documentation of independent testing compliance of published Performance Class & Grade shown in the Design and Performance data tables. Use test report information where the unit width and height in the table below are equal or greater in size to the unit being specified. Contact your local Pella sales representative for copies of full test reports

(1) Maximum performance for single units when glazed with the appropriate glass.

Product	Brand	Frame	Configuration	Performance Type	Glazing	Width	Height	Positive Design Pressure	Negative Design Pressure	Performance Class & Grade ₁	Hallmark Certified	FPAS# (Florida Product Approval System)	TDI	Test Report# (Independent Report)	Canadian Performance (Pella CSA Rating Claim)
Fixed Frame-Direct Set	Support Products	Aluminum Clad Wood	Exterior Glazed - Fixed	Standard		96	76.125	+35	-35	CW-PG35	411-H-1515	NA	NA	ESP036028P.4	Fixed
Fixed Frame-Direct Set	Support Products	Aluminum Clad Wood	Exterior Glazed - Fixed	Standard		59	73	+50	-50	CW-PG50	411-H-1515	NA	NA	ESP036028P.5	Fixed
Fixed Frame-Direct Set	Support Products	Aluminum Clad Wood	Fixed	Standard		72	120	+60	-60	AW-PG60	411-H-670	10354	FL10354	ESP036028P.1	Fixed
Fixed Frame-Direct Set	Support Products	Aluminum Clad Wood	Fixed	Standard		60	60	+90	-90	AW-PG90	411-H-670	10354	FL10354	ESP036028P.7	Fixed
Fixed Frame-Direct Set	Support Products	Aluminum Clad Wood	Fixed	Standard		100.75	85.125	+60	-60	AW-PG60	411-H-670	10354	FL10354	ESP036028P.3	Fixed
Fixed Frame-Direct Set	Support Products	Aluminum Clad Wood	Fixed	Impact	1-1/4" SGP IG	120	60	+60	-60	CW-PG60	411-H-670	20349	WIN 478	ESP036028P.8ASTM	Fixed
Fixed Frame-Direct Set	Support Products	Aluminum Clad Wood	Fixed	Impact	1-1/4" SGP IG	97	74	+60	-60	CW-PG60	411-H-670	20349	WIN 478	ESP036028P.9ASTM	Fixed
Fixed Frame-Direct Set	Support Products	Aluminum Clad Wood	Fixed	Impact	1" SGP IG	35	73	+90	-90	CW-PG90	411-H-670	20349	WIN 478	ESP036028P.6ASTM	Fixed
Fixed Frame-Direct Set	Support Products	Aluminum Clad Wood	Fixed	Impact	1" PVB IG	39	79	+60	-60	CW-PG60	411-H-670	20349	WIN 478	ESP036028P.2Rev ASTM	Fixed
Fixed Frame-Direct Set	Support Products	Aluminum Clad Wood	Fixed	Impact	1" PVB IG	55	55	+60	-60	CW-PG60	411-H-670	20349	WIN 478	ESP036028P.2Rev ASTM	Fixed

Reference Sites

[WDMA Hallmark Certification](#)

[Florida Product Approval Site](#)

[Texas Department of Insurance Site](#)

For copies of full test reports contact your local Pella Sales Representative.