



Test Report Information

Pella® Lifestyle Series Dual-Pane

Note: These charts are to be used for documentation of independent testing compliance of published Performance Class & Grade shown in the Design and Performance data tables. Use test report information where the unit width and height in the table below are equal or greater in size to the unit being specified. Contact your local Pella sales representative for copies of full test reports.

(1) Maximum performance for single units when glazed with the appropriate glass.

Product Type	Brand	Series	Frame	Configuration	Performance Type	Glazing	Width	Height	Positive Design Pressure	Negative Design Pressure	Performance Class & Grade ₁	Hallmark Certified	FPAS# (Florida Product Approval System)	TDI# (Texas Department of Insurance)	Test Report# (Independent Report)	Canadian Performance (Pella CSA Rating Claim)
Awning	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	Vent	Standard	See Note 1	59	73	+30	-30	LC-PG30	411-H-1489	20532	FL20532	ESP021550P.24Rev2	A3
Casement	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	Fixed	Standard	See Note 1	25	73	+50	-50	LC-PG50	411-H-1489	20653	FL20653	ESP021550P.9	Fixed
Casement	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	Fixed	Standard	See Note 1	35	59	+50	-50	LC-PG50	411-H-1489	20653	FL20653	ESP021550P.8	Fixed
Casement	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	Fixed	Standard	See Note 1	35	73	+30	-30	LC-PG30	411-H-1489	20653	FL20653	ESP021550P.6	Fixed
Casement	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	Fixed	Standard w/ DP KIT	See Note 1	35	73	+50	-50	LC-PG50	---	20653	FL20653	ESP036244P	---
Casement	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	Fixed	Standard	See Note 1	59	73	+30	-30	LC-PG30	411-H-1489	20653	FL20653	ESP021550P.19Rev2	Fixed
Casement	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	Vent	Standard	See Note 1	25	73	+50	-50	LC-PG50	411-H-1489	20675	FL20675	ESP021550P.10	A3
Casement	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	Vent	Standard	See Note 1	35	59	+50	-50	LC-PG50	411-H-1489	20675	FL20675	ESP021550P.1	A3
Casement	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	Vent	Standard	See Note 1	35	73	+30	-30	LC-PG30	411-H-1489	20675	FL20675	ESP021550P.7	A3
Casement	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	Vent	Standard w/ DP KIT	See Note 1	35	73	+50	-50	LC-PG50	---	20675	FL20675	ESP030060P	---
Hung - Double	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	Vent	Standard	11/16" 2.5mm Annealed IG	45	77	+30	-30	LC-PG30	411-H-800	12952	FL12952	ESP040786P.1	A2
Hung - Double	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	Vent	Standard	11/16" 2.5mm Annealed IG	37	65	+35	-35	LC-PG35	411-H-800	12952	FL12952	ESP040786P.2	A2
Hung - Double	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	Vent	Standard	11/16" 2.5mm Annealed IG	33	59	+40	-40	LC-PG40	411-H-800	12952	FL12952	ESP040786P.4	A2
Hung - Double	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	Vent	Standard	11/16" 2.5mm Annealed IG	29	65	+40	-40	LC-PG40	411-H-800	12952	FL12952	ESP040786P.6	A2



Test Report Information

Pella® Lifestyle Series Dual-Pane

Note: These charts are to be used for documentation of independent testing compliance of published Performance Class & Grade shown in the Design and Performance data tables. Use test report information where the unit width and height in the table below are equal or greater in size to the unit being specified. Contact your local Pella sales representative for copies of full test reports.

(1) Maximum performance for single units when glazed with the appropriate glass.

Product Type	Brand	Series	Frame	Configuration	Performance Type	Glazing	Width	Height	Positive Design Pressure	Negative Design Pressure	Performance Class & Grade ¹	Hallmark Certified	FPAS# (Florida Product Approval System)	TDI# (Texas Department of Insurance)	Test Report# (Independent Report)	Canadian Performance (Pella CSA Rating Claim)
Hung - Double	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	Vent	Standard	11/16" 2.5mm Annealed IG	33	47	+50	-50	LC-PG50	411-H-800	12952	FL12952	ESP040786P.5	A2
Hung - Double	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	Vent	Standard	11/16" 2.5mm Annealed IG	29	53	+50	-50	LC-PG50	411-H-800	12952	FL12952	ESP040786P.7	A2
Hung - Double	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	Vent	Standard w/ DP KIT	11/16" 2.5mm Annealed IG	37	73.5	+50	-50	LC-PG50	—	—	—	ESP020851P	—
Hung - Double	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	Vent	Standard	11/16" 2.5mm Annealed IG	48	84	+25	-25	LC-PG25	411-H-800	12952	FL12952	ESP040786P.8	—
Patio Door - In-Swing	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	AI or IA	Standard	Tempered Non-Impact	75	95.5	+50	-50	LC-PG50	411-H-1474	10346	FL10346	ESP018706P.1Rev	A3
Patio Door - In-Swing	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	AF or FA	Standard	Tempered Non-Impact	75	95.5	+50	-50	LC-PG50	411-H-1474	10346	FL10346	ESP018706P.2	A3
Sliding Door	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	OX or XO	Standard	3/4" IG 4mm	71.25	81.5	+50	-50	LC-PG50	411-H-1520.02	47325	FL47325	ESP042681P.2	A2
Sliding Door	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	OX or XO	High Performance	3/4" IG 4mm	95.25	95.5	+50	-50	LC-PG50	411-H-1520.00	47325	FL47325	ESP042681P.1	A2
Sliding Door	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	OX or XO	Standard	3/4" IG 4mm	95.25	95.5	+35	-35	LC-PG35	411-H-1520.04	47325	FL47325	ESP042681P.3	A3
Sliding Door	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	OX or XO	Standard	3/4" IG 4mm	119.25	119.5	+20	-20	R-PG20	411-H-1520.06	47325	FL47325	ESP042681P.4	A3
Sliding Door	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	OX or XO	High Performance	3/4" IG 4mm	119.25	119.5	+30	-30	LC-PG30	411-H-1520.08	47325	FL47325	ESP042681P.4	A3
Sliding Door	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	OXO	Standard	3/4" IG 4mm	144.039	95.5	+35	-35	LC-PG35	411-H-1520.10	47325	FL47325	ESP042681P.6	A3
Sliding Door	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	OXXO	Standard	3/4" IG 4mm	189.25	95.5	+35	-35	LC-PG35	411-H-1520.10	47325	FL47325	ESP042681P.6	A3
Sliding Door	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	OXO	Standard	3/4" IG 4mm	180.25	119.5	+20	-20	R-PG20	411-H-1520.12	47325	FL47325	ESP042681P.7Rev	A3



Test Report Information
Pella® Lifestyle Series Dual-Pane

Note: These charts are to be used for documentation of independent testing compliance of published Performance Class & Grade shown in the Design and Performance data tables. Use test report information where the unit width and height in the table below are equal or greater in size to the unit being specified. Contact your local Pella sales representative for copies of full test reports.

(1) Maximum performance for single units when glazed with the appropriate glass.

Product Type	Brand	Series	Frame	Configuration	Performance Type	Glazing	Width	Height	Positive Design Pressure	Negative Design Pressure	Performance Class & Grade ₁	Hallmark Certified	FPAS# (Florida Product Approval System)	TDI# (Texas Department of Insurance)	Test Report# (Independent Report)	Canadian Performance (Pella CSA Rating Claim)
Sliding Door	Lifestyle Series	Dual-Pane	Aluminum Clad Wood	OXXO	Standard	3/4" IG 4mm	237.25	119,5	+20	-20	R-PG20	411-H-1520.12	47325	FL47325	ESP042681P.7Rev	A3

Reference Sites

[WDMA Hallmark Certification](#)

[Florida Product Approval Site](#)

[Texas Department of Insurance Site](#)

For copies of full test reports contact your local Pella Sales Representative.