



Test Report Information
Pella® 250 Series Products

Note: These charts are to be used for documentation of independent testing compliance of published Performance Class & Grade shown in the Design and Performance data tables. Use test report information where the unit width and height in the table below are equal or greater in size to the unit being specified. Contact your local Pella sales representative for copies of full test reports.

(1) Maximum performance for single units, unless noted, when glazed with the appropriate glass.

Product Type	Brand	Frame Depth and Attachment	Material	Configuration	Performance Type	Glazing	Width	Height	Positive Design Pressure	Negative Design Pressure	Performance Class & Grade ₁	Hallmark Certified	FPAS# (Florida Product Approval System)	TDI# (Texas Department of Insurance)	Test Report# (Independent Report)	Canadian Performance (Pella CSA Rating Claim)
Direct Set	Pella 250 Series	3-1/4" Fin	Vinyl	1-wide	Standard	3/4 inch IG, 5mm - 5mm	60	60	+50	-50	CW-PG50	411-H-1460	16811	WIN-1956	ESP013117P.1	—
Direct Set	Pella 250 Series	3-1/4" Fin	Vinyl	1-wide	Standard	3/4 inch IG, 5mm - 5mm	72	72	+30	-30	CW-PG30	411-H-1460	16811	WIN-1956	ESP013117P.2	—
Direct Set	Pella 250 Series	3-1/4" Block	Vinyl	1-wide	Standard	3/4 inch IG, 5mm - 5mm	60	60	+50	-50	CW-PG50	411-H-1460	16811	WIN-1956	ESP013117P.3	—
Direct Set	Pella 250 Series	3-1/4" Block	Vinyl	1-wide	Standard	3/4 inch IG, 5mm - 5mm	72	72	+30	-30	CW-PG30	411-H-1460	16811	WIN-1956	ESP013117P.4	—
Direct Set	Pella 250 Series	3-1/4" Fin	Vinyl	1-wide	Standard	3/4 inch IG, 5mm - 5mm	108	60	+30	-30	CW-PG30	411-H-1460	16811	WIN-1956	ESP013117P.5	—
Hung - Double	Pella 250 Series	3-1/4" Fin	Vinyl	3-wide	Standard	3/4 inch IG, 2.5 mm - 2.5 mm	108	72	+30	-30	R-PG30	411-H-1461	16813	WIN-1955	D2537.01-501-47	—
Hung - Double	Pella 250 Series	3-1/4" Block	Vinyl	3-wide	Standard	3/4 inch IG, 2.5 mm - 2.5 mm	108	72	+35	-35	R-PG35	411-H-1461	16813	WIN-1955	D2537.01-501-47	—
Hung - Double	Pella 250 Series	3-1/4" Fin or Block	Vinyl	1-wide	High	3/4 inch IG, 3 mm -3mm	48	72	+50	-50	R-PG50	411-H-1461	16813	WIN-1955	D1155.01-501-47	—
Hung - Double	Pella 250 Series	3-1/4" Fin or Block	Vinyl	1-wide	High	3/4 inch IG, 3 mm -3mm	42	78	+50	-50	R-PG50	411-H-1461	16813	WIN-1955	310-5194-E0A0	—
Hung - Double	Pella 250 Series	3-1/4" Fin or Block	Vinyl	2-wide	High	3/4 inch IG, 3 mm -3mm	72.5	72	+50	-50	R-PG50	411-H-1461	16813	WIN-1955	D1156.01-501-47	—
Hung - Double	Pella 250 Series	3-1/4" Fin or Block	Vinyl	3-wide	Standard	3/4 inch IG, 2.5 mm - 2.5 mm	108	63	+35	-35	R-PG35	411-H-1461	16813	WIN-1955	C8054.01-501-47	—
Hung - Double	Pella 250 Series	3-1/4" Fin	Vinyl	3-wide	Standard	3/4 inch IG, 2.5 mm - 2.5 mm	88.5	78	+20	-20	R-PG20	411-H-1461	16813	WIN-1955	C8054.01-501-47	—
Hung - Double	Pella 250 Series	3-1/4" Fin	Vinyl	1-wide	Standard	3/4 inch IG, 2.5 mm - 2.5 mm	40	63	+35	-35	R-PG35	411-H-1461	16813	WIN-1955	C8052.01-501-47	—
Hung - Double	Pella 250 Series	3-1/4" Fin or Block	Vinyl	1-wide	Standard	3/4 inch IG, 3 mm -3mm	54	86	+20	-20	R-PG20	411-H-1461	NA	—	ESP037138P.1	—
Hung - Double	Pella 250 Series	3-1/4" Fin or Block	Vinyl	2-wide	Standard	3/4 inch IG, 2.5 mm - 2.5 mm	96.5	63	+30	-30	R-PG30	411-H-1461	16813	WIN-1955	C8053.01-50-47	—
Hung - Double	Pella 250 Series	3-1/4" Fin	Vinyl	2-wide	Standard	3/4 inch IG, 2.5 mm - 2.5 mm	96.5	78	+20	-20	R-PG20	411-H-1461	NA	—	C8053.01-50-47	—
Hung - Single	Pella 250 Series	3-1/4" Fin	Vinyl	3-wide	Standard	3/4 inch IG, 2.5 mm - 2.5 mm	109	72	+45	-45	R-PG30	411-H-1462	16812	WIN-1957	NCTL-310-6748	—
Hung - Single	Pella 250 Series	3-1/4" Block	Vinyl	3-wide	Standard	3/4 inch IG, 2.5 mm - 2.5 mm	109	72	+30	-30	R-PG30	411-H-1462	16812	WIN-1957	NCTL-310-6747	—
Hung - Single	Pella 250 Series	3-1/4" Fin or Block	Vinyl	1-wide	Standard	3/4 inch IG, 2.5 mm - 2.5 mm	48	84	+35	-35	R-PG35	411-H-1462	16812	WIN-1957	C9414.03-501-47	—



Test Report Information
Pella® 250 Series Products

Note: These charts are to be used for documentation of independent testing compliance of published Performance Class & Grade shown in the Design and Performance data tables. Use test report information where the unit width and height in the table below are equal or greater in size to the unit being specified. Contact your local Pella sales representative for copies of full test reports.

(1) Maximum performance for single units, unless noted, when glazed with the appropriate glass.

Product Type	Brand	Frame Depth and Attachment	Material	Configuration	Performance Type	Glazing	Width	Height	Positive Design Pressure	Negative Design Pressure	Performance Class & Grade ₁	Hallmark Certified	FPAS# (Florida Product Approval System)	TDI# (Texas Department of Insurance)	Test Report# (Independent Report)	Canadian Performance (Pella CSA Rating Claim)
Hung - Single	Pella 250 Series	3-1/4" Fin or Block	Vinyl	1-wide	High	3/4 inch IG, 2.5 mm - 2.5 mm	42	83.5	+50	-50	R-PG50	411-H-1463	16812	WIN-1957	310-5219-E0A0	—
Hung - Single	Pella 250 Series	3-1/4" Fin	Vinyl	1-wide	Standard	3/4 inch IG, 2.5 mm - 2.5 mm	40	63	+35	-35	R-PG35	411-H-1462	NA	WIN-1957	C9414.01-501-47	—
Hung - Single	Pella 250 Series	3-1/4" Fin or Block	Vinyl	1-wide	Standard	3/4 inch IG, 3mm/3mm; 2.5 mm/2.5 mm	48	84	+35	-35	R-PG35	411-H-1462	16812	WIN-1957	C9414.01-501-47	—
Hung - Single	Pella 250 Series	3-1/4" Fin or Block	Vinyl	1-wide	Standard	3/4 inch IG, 3mm/3mm; 2.5 mm/2.5 mm	48	84	+35	-35	R-PG35	411-H-1462	16812	WIN-1957	C9414.01-501-47	—
Hung - Single	Pella 250 Series	3-1/4" Fin or Block	Vinyl	1-wide	Standard	3/4 inch IG, 3 mm -3mm	54	96	+30	-30	LC-PG30	411-H-1462	16812	WIN-1957	ESP036977P.2	—
Hung - Single	Pella 250 Series	3-1/4" Fin or Block	Vinyl	1-wide	High	3/4 inch IG, 3 mm -3mm	48	72	+50	-50	R-PG50	411-H-1462	16812	WIN-1957	C9414.02-501-47	—
Hung - Single	Pella 250 Series	3-1/4" Fin or Block	Vinyl	2-wide	Standard	3/4 inch IG, 2.5 mm - 2.5 mm	96	72	+35	-35	R-PG35	411-H-1462	16812	WIN-1957	C9415.01-501-47	—
Hung - Single	Pella 250 Series	3-1/4" Fin or Block	Vinyl	2-wide	High	3/4 inch IG, 3 mm -3mm	72	65.5	+50	-50	R-PG50	411-H-1462	16812	WIN-1957	C9415.01-501-47	—
Sliding Window	Pella 250 Series	3-1/4" Fin	Vinyl	XOX 1/4 Vent	Standard	3/4 inch IG, 3 mm -3mm	120	62	+25	-25	LC-PG25	411-H-1463	16809	—	NCTL-310-5192-E0A0	—
Sliding Window	Pella 250 Series	3-1/4" Fin	Vinyl	XOX 1/3 Vent	Standard	3/4 inch IG, 3 mm -3mm	120	62	+30	-30	LC-PG30	411-H-1463	16809	—	NCTL-310-5190-E0A0	—
Sliding Window	Pella 250 Series	3-1/4" Fin	Vinyl	XOX 1/4 Vent	Standard	3/4 inch IG, 3 mm -3mm	96	72	+25	-25	LC-PG25	411-H-1463	16809	—	NCTL-310-5182-E0A0	—
Sliding Window	Pella 250 Series	3-1/4" Fin	Vinyl	XOX 1/3 Vent	Standard	3/4 inch IG, 3 mm -3mm	96	72	+25	-25	LC-PG25	411-H-1463	16809	—	NCTL-310-5183-E0A0	—
Sliding Window	Pella 250 Series	3-1/4" Fin	Vinyl	XOX 1/4 Vent	Standard	3/4 inch IG, 3 mm -3mm	108	62	+25	-25	R-PG25	411-H-1463	NA	WIN-1951	C8906.01-501-47	—
Sliding Window	Pella 250 Series	3-1/4" Fin or Block	Vinyl	XOX 1/4 Vent	Standard	3/4 inch IG, 3mm/3mm; 2.5 mm/2.5 mm	108	44	+35	-35	R-PG35	411-H-1463	16809	WIN-1951	C8906.01-501-47	—
Sliding Window	Pella 250 Series	3-1/4" Fin or Block	Vinyl	XOX 1/4 Vent	High	3/4 inch IG, 3 mm -3mm	108	44	+50	-50	R-PG50	411-H-1463	16809	WIN-1951	C8906.01-501-47	—
Sliding Window	Pella 250 Series	3-1/4" Fin	Vinyl	XOX 1/3 Vent	High	3/4 inch IG, 3 mm -3mm	108	62	+25	-25	R-PG25	411-H-1463	16809	WIN-1951	C8905.01-501-47	—
Sliding Window	Pella 250 Series	3-1/4" Fin or Block	Vinyl	XOX 1/3 Vent	Standard	3/4 inch IG, 3mm/3mm; 2.5 mm/2.5 mm	108	44	+35	-35	R-PG35	411-H-1463	16809	WIN-1951	C8905.01-501-47	—
Sliding Window	Pella 250 Series	3-1/4" Fin or Block	Vinyl	XOX 1/3 Vent	High	3/4 inch IG, 3 mm -3mm	108	44	+50	-50	R-PG50	411-H-1463	16809	WIN-1951	C8905.01-501-47	—
Sliding Window	Pella 250 Series	3-1/4" Fin	Vinyl	XO or OX	Standard	3/4 inch IG, 3 mm -3mm	96	62	+30	-30	LC-PG30	411-H-1463	16809	—	NCTL-310-5185-E0A0	—



Test Report Information
Pella® 250 Series Products

Note: These charts are to be used for documentation of independent testing compliance of published Performance Class & Grade shown in the Design and Performance data tables. Use test report information where the unit width and height in the table below are equal or greater in size to the unit being specified. Contact your local Pella sales representative for copies of full test reports.

(1) Maximum performance for single units, unless noted, when glazed with the appropriate glass.

Product Type	Brand	Frame Depth and Attachment	Material	Configuration	Performance Type	Glazing	Width	Height	Positive Design Pressure	Negative Design Pressure	Performance Class & Grade ₁	Hallmark Certified	FPAS# (Florida Product Approval System)	TDI# (Texas Department of Insurance)	Test Report# (Independent Report)	Canadian Performance (Pella CSA Rating Claim)
Sliding Window	Pella 250 Series	3-1/4" Fin	Vinyl	XO or OX	Standard	3/4 inch IG, 3 mm -3mm	73.5	72	+25	-25	LC-PG25	411-H-1463	16809	—	NCTL-310-5193-E0A0	—
Sliding Window	Pella 250 Series	3-1/4" Fin	Vinyl	XO or OX	Standard	3/4 inch IG, 3 mm -3mm	78	62	+25	-25	R-PG25	411-H-1463	16809	WIN-1951	C8904.01-501-47	—
Sliding Window	Pella 250 Series	3-1/4" Block	Vinyl	XO or OX	Standard	3/4 inch IG, 3 mm -3mm	78	62	+25	-25	R-PG25	411-H-1463	16809	WIN-1951	C8904.01-501-47	—
Sliding Window	Pella 250 Series	3-1/4" Fin	Vinyl	XO or OX	Standard	3/4 inch IG, 3 mm -3mm	72	44	+35	-35	R-PG35	411-H-1463	16809	WIN-1951	C8904.01-501-47	—
Sliding Window	Pella 250 Series	3-1/4" Block	Vinyl	XO or OX	Standard	3/4 inch IG, 3 mm -3mm	72	44	+35	-35	R-PG35	411-H-1463	16809	WIN-1951	C8904.01-501-47	—
Sliding Window	Pella 250 Series	3-1/4" Fin or Block	Vinyl	XO or OX	High	3/4 inch IG, 3 mm -3mm	72	44	+50	-50	R-PG50	411-H-1463	16809	WIN-1951	C8904.01-501-47	—
Sliding Window	Pella 250 Series	3-1/4" Fin	Vinyl	XO or OX	High	3/4 inch IG, 3 mm -3mm	52.25	62	50	-50	LC-PG50	411-H-1464	16809	WIN-1951	NCTL-310-5181-E0A0	—
Sliding Window	Pella 250 Series	3-1/4" Fin	Vinyl	Fixed over Sliding Window	Standard	3/4 inch IG, 3 mm -3mm	78	84.5	+25	-25	R-PG25	411-H-1463	16809	WIN-1951	C9497.01-501-47	—
Casement	Pella 250 Series	3-1/4" Fin	Vinyl	Vent	High	3/4 inch IG - 3 mm annealed	31.5	71.5	+50	-50	LC-PG50	411-H-1491	26533	WIN-2357	ESP027058P.3	—
Casement	Pella 250 Series	3-1/4" Fin	Vinyl	Vent	Standard	3/4 inch IG - 3 mm annealed	31.5	71.5	+35	-35	LC-PG35	411-H-1491	26533	WIN-2359	ESP027058P.10	—
Casement	Pella 250 Series	3-1/4" Fin	Vinyl	Vent/Vent	High	3/4 inch IG - 3 mm annealed	71.5	71.5	+50	-50	LC-PG50	411-H-1491	26533	WIN-2357	ESP027058P.3	—
Casement	Pella 250 Series	3-1/4" Fin	Vinyl	Vent/Fixed	Standard	3/4 inch IG - 3 mm annealed	80.5	53.5	+35	-35	LC-PG35	411-H-1491	26533	WIN-2359	ESP027058P.10	—
Casement	Pella 250 Series	3-1/4" Fin	Vinyl	Vent/Fixed	Standard	3/4 inch IG - 3 mm annealed	80.5	71.5	+35	-35	LC-PG35	411-H-1491	26533	WIN-2359	ESP027058P.5	—
Casement	Pella 250 Series	3-1/4" Fin	Vinyl	Vent/Fixed/Vent	Standard	3/4 inch IG - 3 mm annealed	107.5	53.5	+35	-35	LC-PG35	411-H-1491	26533	WIN-2357	ESP027058P.10	—
Casement	Pella 250 Series	3-1/4" Fin	Vinyl	Vent/Vent/Vent	Standard	3/4 inch IG - 3 mm annealed	107.5	53.5	+35	-35	LC-PG35	411-H-1491	26533	WIN-2357	ESP027058P.11	—
Casement	Pella 250 Series	3-1/4" Fin	Vinyl	Vent/Vent/Vent	Standard	3/4 inch IG - 3 mm annealed	107.5	71.5	+35	-35	LC-PG35	411-H-1491	26533	WIN-2357	ESP027058P.4	—
Casement	Pella 250 Series	3-1/4" Fin	Vinyl	Vent/Fixed/Vent	Standard	3/4 inch IG - 3 mm annealed	107.5	71.5	+35	-35	LC-PG35	411-H-1491	26533	WIN-2357	ESP027058P.5	—
Casement	Pella 250 Series	3-1/4" Fin	Vinyl	Fixed	Standard	3/4 inch IG - 5 mm annealed	71.5	71.5	+35	-35	LC-PG35	411-H-1493	26535	WIN-2359	ESP027058P.6	—
Casement	Pella 250 Series	3-1/4" Fin	Vinyl	Fixed/Fixed	Standard	3/4 inch IG - 5 mm annealed	71.5	71.5	+35	-35	LC-PG35	411-H-1493	26535	WIN-2359	ESP027058P.7	—



Test Report Information
Pella® 250 Series Products

Note: These charts are to be used for documentation of independent testing compliance of published Performance Class & Grade shown in the Design and Performance data tables. Use test report information where the unit width and height in the table below are equal or greater in size to the unit being specified. Contact your local Pella sales representative for copies of full test reports.

(1) Maximum performance for single units, unless noted, when glazed with the appropriate glass.

Product Type	Brand	Frame Depth and Attachment	Material	Configuration	Performance Type	Glazing	Width	Height	Positive Design Pressure	Negative Design Pressure	Performance Class & Grade ₁	Hallmark Certified	FPAS# (Florida Product Approval System)	TDI# (Texas Department of Insurance)	Test Report# (Independent Report)	Canadian Performance (Pella CSA Rating Claim)
Awning - Large	Pella 250 Series	3-1/4" Fin	Vinyl	Vent	Standard	3/4 inch IG - 3 mm annealed	47.5	43.5	+35	-35	LC-PG35	411-H-1492	26534	WIN-2358	ESP027058P.8	-
Awning - Large	Pella 250 Series	3-1/4" Fin	Vinyl	Vent/Fixed	Standard	3/4 inch IG - 3 mm annealed	47.5	43.5	+35	-35	LC-PG35	411-H-1492	26534	WIN-2358	ESP027058P.9	-
Awning - Large	Pella 250 Series	3-1/4" Fin	Vinyl	Vent	High	3/4 inch IG - 3 mm annealed	59.5	43.5	+50	-50	LC-PG50	411-H-1492	26534	WIN-2358	ESP027058P.1	-
Awning - Large	Pella 250 Series	3-1/4" Fin	Vinyl	Vent	Standard	3/4 inch IG - 3 mm annealed	59.5	43.5	+35	-35	LC-PG35	411-H-1492	26534	WIN-2358	ESP027058P.2	-
Awning - Large	Pella 250 Series	3-1/4" Fin	Vinyl	Vent/Fixed	Standard	3/4 inch IG - 3 mm annealed	107.5	43.5	+35	-35	LC-PG35	411-H-1492	26534	WIN-2358	ESP027058P.9	-
Sliding Door	Pella 250 Series	Fin or Block	Vinyl	OX or XO	High	3/4 inch IG - 3 mm tempered	95.5	95.5	50	50	LC-PG50	411-H-1503	20146	DR-1084	ESP031038P.16	-
Sliding Door	Pella 250 Series	Fin or Block	Vinyl	OX or XO	Standard	3/4 inch IG - 3 mm tempered	95.5	95.5	35	35	LC-PG35	411-H-1503	20146	DR-1084	ESP031038P.15	-
Sliding Door	Pella 250 Series	Fin or Block	Vinyl	O XO	Standard	3/4 inch IG - 3 mm tempered	109.375	81.5	50	50	LC-PG35	411-H-1503	20146	DR-1084	ESP031038P.19	-
Sliding Door	Pella 250 Series	Block	Vinyl	O XO	Standard	3/4 inch IG - 3 mm tempered	143.5	95.5	35	35	LC-PG35	411-H-1503	20146	DR-1084	ESP031038P.14	-
Sliding Door	Pella 250 Series	Fin	Vinyl	O XO	Standard	3/4 inch IG - 3 mm tempered	143.5	95.5	35	35	LC-PG35	411-H-1503	20146	DR-1084	ESP031038P.13	-
Sliding Door	Pella 250 Series	Fin or Block	Vinyl	O X XO	Standard	3/4 inch IG - 3 mm tempered	143.5	81.5	50	50	LC-PG35	411-H-1503	20146	DR-1084	ESP031038P.18	-
Sliding Door	Pella 250 Series	Fin or Block	Vinyl	O X XO	Standard	3/4 inch IG - 3 mm tempered	191.5	95.5	35	35	LC-PG35	411-H-1503	20146	DR-1084	ESP031038P.21	-
Sliding Door	Pella 250 Series	Fin Knockdown	Vinyl	O X or XO	Standard	3/4 inch IG - 3 mm tempered	95.5	81.5	+40	-40	R-PG40	411-H-1503	20146	Pending	ESP031038P.10	-
Sliding Door	Pella 250 Series	Fin Knockdown	Vinyl	O XO	Standard	3/4 inch IG - 3 mm tempered	145.375	95.5	+25	-25	R-PG25	411-H-1503	20146	Pending	ESP031038P.13	-
Sliding Door	Pella 250 Series	Block Knockdown	Vinyl	O XO	Standard	3/4 inch IG - 3 mm tempered	145.375	95.5	+25	-25	R-PG25	411-H-1503	20146	Pending	ESP031038P.14	-
Sliding Door	Pella 250 Series	Fin Knockdown	Vinyl	O X XO	Standard	3/4 inch IG - 3 mm tempered	191.5	95.5	+25	-25	R-PG25	411-H-1503	20146	Pending	ESP031038P.11	-
Sliding Door	Pella 250 Series	Block Knockdown	Vinyl	O X XO	Standard	3/4 inch IG - 3 mm tempered	191.5	95.5	+25	-25	R-PG25	411-H-1503	20146	Pending	ESP031038P.12	-



Test Report Information
Pella® 250 Series Products

Note: These charts are to be used for documentation of independent testing compliance of published Performance Class & Grade shown in the Design and Performance data tables. Use test report information where the unit width and height in the table below are equal or greater in size to the unit being specified. Contact your local Pella sales representative for copies of full test reports.

(1) Maximum performance for single units, unless noted, when glazed with the appropriate glass.

Product Type	Brand	Frame Depth and Attachment	Material	Configuration	Performance Type	Glazing	Width	Height	Positive Design Pressure	Negative Design Pressure	Performance Class & Grade₁	Hallmark Certified	FPAS# <small>(Florida Product Approval System)</small>	TDI# <small>(Texas Department of Insurance)</small>	Test Report# <small>(Independent Report)</small>	Canadian Performance <small>(Pella CSA Rating Claim)</small>
---------------------	--------------	-----------------------------------	-----------------	----------------------	-------------------------	----------------	--------------	---------------	---------------------------------	---------------------------------	--	---------------------------	--	---	--	--

Reference Sites

[WDMA Hallmark Certification](#)

[Florida Product Approval Site](#)

[Texas Department of Insurance Site](#)

For copies of full test reports contact your local Pella Sales Representative.